



ULTRALEATHER™

A perfect part of your life.

Ultraleather™, the original surface in the Ultraleather Collection, is perfect for situations where you want the look and feel of leather, but need a more durable and practical alternative. Formulated with high-tech strengthening components for longevity, its exceptional **durability** and effortless cleaning make Ultraleather the ideal Ultra Surface for high wear applications with the benefit of a **soft** and **supple hand**.



Ultraleather™

Ultraleather Collection



DURABLE



SOFT



CLIMATE
CONTROL



KID & PET
FRIENDLY



WATER
REPELLENT




EARTH
FRIENDLY



EASY TO
CLEAN



• 291-3666 Fudge



• 291-0001 White




• 291-5805 Ermine



• 291-3700 Ivory




• 291-3720 Light Oyster




• 291-3599 Almond



• 291-3719 Champagne



• 291-3850 Sand



• 291-3609 Buff




• 291-3926 Cashmere




• 291-3778 Pecan



• 291-3470 Shell



• 291-3925 Silk



• 291-3851 Chamois



• 291-3669 Cashew



• 291-5260 Nectar



• 291-3182 Timber



• 291-3779 Taupe



• 291-3183 Pine Cone



• 291-5250 Sassy



• 291-8219 Adobe



• 291-3612 Curry



• 291-3620 Praline



• 291-8243 Apricot




• 291-8225 Mandarin



• 291-3610 Hide



• 291-3928 Raisinette



• 291-1176 Red



• 291-8241 Hot Sauce



• 291-1315 Grenadine



• 291-1311 Brick



• 291-9337 Berry



• 291-3469 Garnet



• 291-1312 Chianti



• 291-6580 Sorbet



• 291-3455 Milkweed



• 291-3729 Tan



• 291-1256 Papyrus



• 291-4484 Thyme



• 291-5255 Bamboo



• 291-4468 Palm Leaf



• 291-4469 Aloe



• 291-4461 Cactus



• 291-4430 Eucalyptus



• 291-4427 Mystic



• 291-4460 Parrot



• 291-4462 Fern



• 291-4351 Shetland



• 291-4352 Loden



• 291-4261 Juniper



• 291-4262 Orchard



• 291-7326 Neptune



• 291-2553 Cyan



• 291-7278 Mayan



• 291-2554 Sapphire

Subtle color variations are inherent to the grain.



• 291-3601 Doe



• 291-3602 Stone



• 291-3927 Mocha



• 291-3777 Walnut



• 291-5684 Arctic



• 291-5676 Pelican



• 291-5708 Granite



• 291-5763 Charcoal



• 291-2603 Marine



• 291-2478 Diplomat Blue



• 291-2556 Admiral



• 291-2555 Nile



• 291-2552 Riviera



• 291-2685 Bayou



• 291-2551 Baltic




• 291-9385 Plum



• 291-5668 Silver Pearl



• 291-5666 Dove Grey



• 291-5806 Schooner



• 291-5607 Raven Wing

Ultraleather™

Ultraleather Collection



MARINE



HOSPITALITY



OFFICE



RESIDENTIAL



AVIATION



AUTOMOTIVE



RECREATION



DENTAL



HEALTHCARE

For Your Active Lifestyle

Ultraleather™ has the durability and strength to stand up to your active lifestyle. It meets or surpasses industry wear standards including bond strength, seam strength and tear strength. Ultraleather exceeds 400,000 double rubs on the Wyzenbeek abrasion test method showing no wear and tear—that's 13X heavy-duty industry standards.

You've Only Touched the Surface

Ultraleather stays cool to the touch, even when exposed to sunlight. Soft and supple, it is tough enough to withstand kids and pets. Because it's inherently stain-resistant, no toxic aftercare is required to keep Ultraleather looking its best.

Earth Friendly

- No PVCs (Polyvinyl Chloride)
- No POPs (Persistent Organic Pollutants)
- No PBDEs (Polybrominated Diphenyl Ethers)
- No HFRs (Halogenated Flame Retardants)
- Meets the most stringent VOC standards
- No Plasticizers, Heavy Metals or Stabilizers
- Phthalate free
- No toxic by-products
- Over 99% of solvents recaptured and recycled
- ISO 9001 Certified Mill

Maintenance & Care Instructions

Keep Ultrafabrics, LLC brand surfaces looking great by routine and proper maintenance. Clean regularly to prevent excessive dirt from accumulating. Follow these guidelines to extend the life of the fabric:

- Clean regularly with soap and water
- Wipe up spills as soon as they occur
- Remove stains with an alcohol-based cleaner like Fantastik®
- Disinfect using a 5:1 water/bleach solution
- Thoroughly rinse all cleaning solution residue with water
- Air dry

SPECIFICATIONS

ISO 9001-CERTIFIED PRODUCTION FACILITY

COMPOSITION:	100% POLYURETHANE SURFACE 100% REINFORCED RAYON BACKING
WEIGHT:	APPROX. 9.7 OZ. PER SQUARE YD (APPROX. 330 GRAMS PER SQUARE METRE) APPROX. 14.6 OZ. PER LINEAR YD (APPROX. 450 GRAMS PER LINEAR METRE)
THICKNESS:	APPROX. 0.95 MM
WIDTH:	54 INCHES / 137 CENTIMETRES
PUT-UP:	APPROX. 33 YDS / 30 METRES R.O.T.

CHARACTERISTICS: MEETS OR EXCEEDS:

ABRASION:	ASTM D 4157 / 400,000 DOUBLE RUBS BS 2543 / 180,000 RUBS (MARTINDALE)
TENSILE STRENGTH:	ASTM D 1117
TEAR STRENGTH:	ASTM D 1117
DIMENSIONAL CHANGE:	ASTM D 3597
SEAM STRENGTH:	ASTM D 751
STRETCH & SET:	SAE J855

COLORFASTNESS:

CROCKING:	AATCC 8, CLASS 5 WET & DRY
LIGHT:	AATCC 16E, AATCC 16A, CLASS 5 ISO 105 - B02 : 1999 GRADE 7/8
GAS:	AATCC 23, CLASS 5
OZONE:	AATCC 109, CLASS 5

F/R RATING: (HFR FREE)

ASTM E 84 (ADHERED)	CLASS A
CA 117 E	CLASS 1
FMVSS 302 & 95/28 ANNEX IV	PASS
NFPA 260	CLASS 1
UFAC	CLASS 1

- CAN BE TREATED TO MEET FAR SPECIFICATIONS.
- THIS FABRIC, WHEN TREATED AND/OR USED WITH OTHER COMPATIBLE FURNITURE COMPONENTS, HAS BEEN SHOWN TO PERFORM WELL UNDER THE FIRE TEST CONDITIONS OF CALIFORNIA TECHNICAL BULLETIN 133, BS 5852 PT 0, 1 & 5 (CRIB 5), IMO A.652 (16), BS 7175 AND BS 5867 PART 2 TYPE B.

For more detailed information, visit us on the web at www.ultrafabricsllc.com.



ULTRA SURFACES. ULTRA RELEVANT.

Ultrafabrics, LLC | Hudson Point, 303 South Broadway | Tarrytown, NY 10591 | USA | T 914.460.1730 | F 914.347.1591 | www.ultrafabricsllc.com
Ultrafabrics Europe Ltd. | 19 The Warren, East Goscote | Leicestershire, LE7 3XA | United Kingdom | T +44.116.260.9625 | ufe@ultrafabricsllc.com
Made in Japan. Ultraleather™ and Brisa® are trademarks of Ultrafabrics, LLC.

